如何搭建独立路径的YunTu Eclipse IDE工程

搭建独立路径IDE的步骤:

1. 步骤1						
🤣 eclipse-worksp	ace - Eclipse IDE	and Dup Min	daw. Uola	1472 K	殿秋 3432	胡吸水 1427
	te Search Proje	act Run wind arasina ieliei	аом нер = 😴 📩 🎄 – О –	• • • • • • • • • • • • •	536+0+10	
🌣 Debug 🚡 Proje	ct Explorer ×			78-0		
There are no proj To add a project:	ects in your works	space.				
🖻 <u>Create a proj</u>	ect					
🔤 Import projec	cts	胡映秋 1422	林市 和日本	1422	1004K 1422	出版基本 1422
			🦈 New Project			
			Select a wizard			-
			Create a new C or	C++ project	服果状 1422	胡映秋 1422
			Wizards:			
			type filter text	胡吸秋生。	胡映秋上	
			✓ ➢ General Project ✓ ➢ C/C++			ABURAN 1422
			C/C++ Proje	ect	胡晓秋 1422	
			C Project	Project with Existing Code	1422 1472	6809.74 1422
			?	< <u>B</u> ack <u>N</u> ext >	<u> </u>	Cancel
			HIRAK 1422	**************************************	1422	

2.	步骤2					



🥏 eclipse-workspac	ce - Eclipse IDE					
File Edit Navigate	e Search Project Run Wi	ndow Help				
📑 🖛 📾 📾 🖷	> I> II ■ N 3. © .@ 1	⊨≒ 🕱 🕹 🏘 🕶 🔕 🕶 🔗 🕶 ᢓ	• 司 • ゆ ゆ ゆ • ゆ •	1		
🎋 Debug 💫 Projec	t Explorer ×	🖻 🕏 🎖 🕴 🗖 🗖				
There are no projec To add a project:	cts in your workspace.	相应表 1422	胡映秋 1422		胡映秋 1422	
📑 <u>Create a projec</u>	<u>ct</u>	9				
🔤 Import project	ts	C Project				
		A Directory with specified name	already exists			HIRAN D
		Directory with specified name	alleady exists.			
		Project name: example_1 🖊	胡喷秋 1924		相映秋 1422	
		Use default location			-	
		Location: C:\Bruce_work_folder	\Projects\YunTu_IDE_setup			Browse
		Choose file system: d	efault ~			
		tankty inter states in	的快秋 1422		the second second	
		Project type:	Too	Ichains:		
		GNU Autotools Executable Empty Project Hello World ANSI C Pro Hello World ANSI C Pro Hello World ANSI C Pro	oject F	Arm Cross GCC Cross GCC Cygwin GCC RISC-V Cross GCC		胡映秋 1422
		 Hello World RISC-V CP ADuCM36x C/C++ Proj Hello World Arm Corte Freescale Processor Exp Freescale Kinetis KLxx (roject ect x-M C/C++ Project pert C/C++ Project C/C++ Project			胡吸秋 1422
		 SiFive RISC-V C/C++ Proj STM32F0xx C/C++ Proj STM32F1xx C/C++ Proj STM32F2xx C/C++ Proj STM32F3xx C/C++ Proj STM32F3xx C/C++ Proj 	oject ject ject ject			胡映秋 1422
		 STM32F4xx C/C++ Proj STM32F7xx C/C++ Proj Shared Library Static Library 	ject NAVE NA 1472			
		> 🤛 Makefile project	NX 1422			胡映秋 1422
		Show project types and tool	hains only if they are support	ed on the platform	胡映秋 1422	
			W 1422	HARDER 1422	-	1422
		?	< <u>B</u> a	ck <u>N</u> ext >	<u>F</u> inish	Cancel
		L				

4. 步骤4

4. <i>1</i> / 3 / 3 / 4					

🦈 eclipse-workspace - Ecli	ipse IDE						
File Edit Navigate Sear	rch Project Run	Window Help					
🔁 🕶 🔛 👒 İ 🖳 🔤 İ 🍓 İ 👟 11	► 01 01 14 10 11	인 1+ 등 🕱 🕹 💠 🔹		9 • °> c [*] c> • c> •	141100秒 1422		
🌣 Debug 눱 Project Explo	rer ×		329 A 8				
There are no projects in y To add a project:	our workspace.		映秋 1422	相映秋 1422		胡映秋 1422	
📑 Create a project		•					
Import projects		Select Confi	gurations				5月11天年人 1992 📣
		Select platfo	orms and configurations y	ou wish to deploy on			
		Project type Toolchains: Configuratio	: Executable Arm Cross GCC ons:	胡原秋 1427 2	Lost W 1422	胡吸秋 1422	1990 W 1422
			200 V		Mary		Blanze
		✓ Seleas	se			+AND #X 1427	Select all
						00.000	Deselect all
		胡映秋 1422	88.0019X 1.42				
		të	p映秋 1422			胡映秋 1422	
		胡映秋 1422					
		ti				胡映秋 1422	
		胡映秋1422					
		55	服秋 1422	胡映秋 1422		胡映秋 1422	Advanced settings
		Use *Advanc	ed settings" button to e	dit project's properties	胡映秋 1422		
		Additional c Use "Manag	onfigurations can be add e configurations" button	ed after project creatio s either on toolbar or o	n. n property pages	胡晓秋 1422	
		胡映村(1422	胡映秋站	2	胡吸秋 1422		胡顺秋 1422
		?		< <u>B</u>	ack <u>N</u> ext :	• Eir	ish Cancel
			antik 1422				

5 .	▶骤5					

The Debug	Project Explorer >	<	14-9.8.10:		78 -			112 miltit 1422		
There are no	o projects in your w	vorkspace.								
Create	a project		0							
🔤 Import	projects		GNU A	rm Cross	Toolchair	胡映秋 1422			/	1999.1K 1922
			Select	the toolcl	hain and co	onfigure path		1		
			Toolch	ain name:	xPack GN	U Arm Embedd	ed GCC (arm-non	e-eabi-gcc)	相限秋 14/4	~
			Toolch	ain path:	C:\Bruce_	work_folder\Pro	jects\YunTu_IDE_	setup		Browse
							8			
						annak 1922		HARDER LALS		inter the
			Ŷ					Back Next	> <u>Finish</u>	Cancel

6. 将需要的源文件copy到工程中, refresh一下便可显示在工程中

	example1						胡映秋 1422		
文件 主頭	页 共享 查礼	春							~ ?
$\leftarrow \rightarrow \vee$	↑ 🖡 « project	_setup_demo	1 → example1	~	じ	kample1 中搜索			胡映秋 1422
	7	1819.7K 142	名称	A 1422	修改日	期 胡桃林 1422	类型	大小	
 ★ 快速的評 桌面 ◆ 下载 管 文档 ■ 图片 ■ FOC_3 ■ moto ■ Docum 	Bshunt_sensorless r_driver_Board nents	* * * *	settings board CMSIS Debug link platform rtos src	1999年秋 1422	2022/ 2022/ 2022/ 2022/ 2022/ 2022/ 2022/ 2022/ 2022/ 2022/	11/14 13:02 11/14 12:41 11/14 13:53 11/14 13:10 11/14 13:22 11/14 13:58 11/14 12:58 11/14 12:58	文件夹 文件夹 文件夹 文件夹 文件共 文件共 文件夹 文件夹 文件夹 文件夹		相時秋 1422 相時秋 1422
Docur	ments ation_documents	胡映秋1422	utility cproject .project		2022/ 2022/ 2022/	11/14 12:58 11/14 13:50 11/14 12:41	文件夹 CPROJECT 文件 PROJECT 文件	34 KB 1 KB	
پر کی میں میں میں میں میں میں میں میں میں می	ve - Personal								胡映秋 1422
> 此电脑 3D 对: 一	象								
视频 图片 〇 立世									
■ 文档 11 个项目		胡映秋 1422		胡映秋 1422		胡映秋 1422		胡晓秋 1422	

\rightarrow	-] (+)	(_) III		다. - 나이	' ⇒' [√	1	胡晓秋 1422	
胡晓利	Fil		Edit Nav	igate S	earch Pro	viect Run	Window	, Heln		
		} •			i ∖ ⊡ □] ■ N 3	. R.R i	, <u>n</u> eip → ≅ ≋	2 * - C	
	*	De	ebug 陷 Pi	roject Ex	plorer ×			E 🕏 T	8 □ □	
	> ~	12 12 12 13 14 14 14 14 14 14 14 14 14 14 14 14 14	etmr_pwr test_1 (in	n (in ECL example	.IPSE) e1) (1999) 1922					
		>	➡ Include	計時形 1422						
		>	CMSIS Debug							
		>	➢ link Be platfor	nanetik 1422 m						
		>	➢ rtos ➢ src							
		>	➢ utility							
				胡映秋 1422		胡映秋 1422		胡映秋 1422		胡映秋 142

7. 右击工程名,在下拉列表中选择属性Properties,进行工程配置。

<1>. 在C Compiler中添加.h文件的路径,可依据demo工程里面的格式来添加,但是要去掉中间的相对路径\..\..\,,添加后的结果如下:



Properties for etmr_p	owm #809.04.1422				— 🗆 ×
type filter text	Settings				(> ▼ <> ▼ §
> Resource	422 胡顺秋 1422	胡服新 1422		x 1422	胡映秋 1422
Builders ✓ C/C++ Build	Configuration: Debug [Active]			~	Manage Configurations
Build Variables					
Environment Logging	🛞 Tool Settings 🛞 Toolchains 🔳 Devices	s 🔋 Container Settings 🎤 Build St	teps 🚇 Build Artifact 🗟 Bina	ry Parsers 😣 Error Parse	ers
Settings	🖉 🎽 Target Processor	Include paths (-I)	و مربع	v 1422	🌒 🌒 🕲 🖗 🔮
Tool Chain Edito	Optimization	"\${ProjDirPath}\\\\platform\	devices"		^
Git	🖉 Warnings 🖄 Debugging	"\${ProjDirPath}\\\\CMSIS\Co "\${ProjDirPath}\\\\platform\	ore\Include" devices\common"		
Linux Tools Path	✓ S GNU Arm Cross Assembler	"\${ProjDirPath}\\\\platform\	devices\YTM32B1ME0\startur	胡映秋 1422	
> MCU Project Natures	Preprocessor Includes	"\${ProjDirPath}\\\\platform\ "\${ProjDirPath}\\\\platform\	devices\YTM32BTMEU\Include drivers\inc"	<u>;</u>	
Project References	🖉 Marnings	"\${ProjDirPath}\\\\platform\ "\${ProjDirPath}\\\\platform\	drivers\inc\etmr"		相映秋 1422
Run/Debug Setting	2 Miscellaneous	\${ProjDirPath}\\\\platform\	drivers\src\dma"		
> Validation	Solution Sector Se	Include system paths (-isystem)	drivers) ere) linfloyd"	-ontall 1922	· 최 월 취 산
WikiText	🖄 Includes			-3 <u>1</u> 10/2477	
	Optimization				
胡映秋1		胡映秋 1422	胡映	× 1422	胡映秋 1422
	✓ S GNU Arm Cross C Linker	C	lemo工程里面	的.h文件路径	-0
	🖉 General 🖉	胡映秋 1422			
	🖄 Miscellaneous				
in all the second second	 SGNU Arm Cross Create Flash Image General 	Include files (-include) at 1422	Edino.	k 1422	🗿 🔊 🗟 취 월
	✓ SGNU Arm Cross Print Size		24.02		2H my
	🖉 General				
	Hilbert -	PHINCAR			
胡映秋卫	422 胡晓秋 1422	胡映秋 1422			胡映秋 1422
	胡映秋 1422	胡映林 1422	胡映秋 1422	胡映秋 1422	
< >				Resto	re <u>D</u> efaults <u>A</u> pply

e filter text	Settings							
lesource								
Suilders	Configuration: Debug [Active]				~	Manage Configuratio		
Build Variables	x 1422					1422		
Environment	🖲 Tool Settings 🛞 Toolchains 📕 Devices 🟮 Container Settings 🎤 Build Steps 😤 Build Artifact 🗟 Binary Parsers 🤒 Error Parsers							
Logging Settings	A Target Processor		j - bana / i cilact - w binary i					
Tool Chain Editor	Optimization	Include paths (-i)	相映秋 14-2		加快秋日年	61 16 76 191		
/C++ General	🖉 Warnings	"\${ProjDirPath}\CMSIS\Core\Include	n					
inux Tools Path	Debugging	"\${ProjDirPath}\platform\devices\co	mmon"					
roject Natures	 Solution Sector S	\${ProjDirPath}\platform\devices\YT "\${ProjDirPath}\platform\devices\YT	M32B1ME0\startup M32B1ME0\include"	古B映秋 1422				
roject References	🖉 Includes	"\${ProjDirPath}\platform\drivers\inc						
efactoring History	🖉 Warnings	"\${ProjDirPath}\platform\drivers\inc "\${ProjDirPath}\platform\drivers\src	\etmr" \pins"					
un/Debug Setting	Miscellaneous	"\${ProjDirPath}\platform\drivers\src	\dma"					
alidation	GNU Arm Cross C Compiler Preprocessor	Include system paths (-isystem)						
ikiText	🛶 🍋 Includes	1422	1422	1422		1422		
	Optimization	\$Hanksyy						
	Warnings							
	✓ Solution State Sta	胡映秋 1422						
	🖄 General							
	Libraries							
	Solution Stream	1422		1422 ARDDRAK 1422		3月19月秋 1422		
	Ø General	Include files (-include)		1997 P		 • · · · · · · · · · · · · · · · · · · ·		
	v 🕲 GNU Arm Cross Print Size	-mail 1422						
	🖉 General	THINK -						
	1422							
	胡吸水	胡吸秋						
	胡晓林 3422	胡晓秋 1422	胡服秋 1422		胡吸秋 1424			
					Rest	ore Defaults Apr		

<2>. 添加其它信息:跟demo里面的内容保持一致便可。

t 🥏 Properties for test_1								— 🗆 X
type filter text	Settings							← ← ⇒ %
> Resource								
✓ C/C++ Build	Configuration: Debug [Active]						~ N	lanage Configurations
Build Variables Environment Logging Settings	Tool Settings Toolchains Tool Settings	Devices (〕Container Settings → Bi 2 Use preprocessor	uild Steps 😤 Build	Artifact 🗟 Binary Pa	arsers 😣 Error Parse	rs 8009 1422	
Tool Chain Edito > C/C++ General	Optimization Warnings	102 E	Do not search system dire	ectories (-nostdinc)				
Linux Tools Path	Debugging		Defined symbols (-D)					·····································
 MCU Project Natures Project References Refactoring History 	B GNU Arm Cross Assembler B Preprocessor B Includes B Warnings	E	START_FROM_FLASH		胡晓秋之		胡吸杯	
Run/Debug Setting Task Tags > Validation WikiText	 Miscellaneous GNU Arm Cross C Compiler Preprocessor Includer 	映秋 1422						胡映秋 1422
胡映秋 1422	Britades Britades							
胡映	🖉 General	明决秋 1422	Undefined symbols (-U)	胡映秋 1422		胡映秋1422		원 최 월 전 성
	 Biscellaneous GNU Arm Cross Create Flash I General GNU Arm Cross Print Size General 	mage	胡晓秋 1422		胡映秋 1422		胡映秋 1422	
胡映	人1422 胡	1映秋 1422						胡映秋 1422
	1895年18.1A22		胡映秋 1422		胡映秋 1422		胡晓秋 1422	
< >							Restore	e <u>D</u> efaults <u>A</u> pply

Properties for test_1								— 🗆 X
type filter text	Settings							♦ ♥ <
> Resource Builders	Configuration: Debug [Active]						~	Manage Configurations
Build Variables Environment Logging Settings Tool Chain Editor > C/C++ General Linux Tools Path > MCU Project Natures Project Natures Project References Refactoring History Run/Debug Setting Task Tags > Validation WikiText	Tool Settings Toolchains	Devices	🔋 Container Settings 🎤 B	uild Steps Build	Artifact 🗟 Binary Pa	arsers 😣 Error Parser	·s 胡晓秋 1422	
	 [™] Target Processor [™] Optimization [™] Optimization [™] Obbugging [™] Obbugging [™] Ones Assembler [™] Preprocessor [™] Includes 	却映秋 1422	Do not search system dir Preprocess only (-E)	ectories (-nostdinc)		1410年秋 1422		1422
			CPU_YTM32B1ME0 YTM32B1ME0		胡映秋 1422	Ph.)	胡吸秋 1422	· 1월 1월 20 전 1월
	 Warnings Miscellaneous ShU Arm Cross C Compile Preprocessor Includes Optimization Warnings Miscellaneous 	· 胡映秋 1422	胡晓秋 1422	副映秋 1422	胡映校 1422			1899 N. 1422
胡映	Solution Section	Undefined symbols (-U)	胡映秋 1422		胡映秋 1422		🗐 🜒 🗟 🖓 🚱	
	 ➢ Libraries ➢ Miscellaneous ◇ ⑤ GNU Arm Cross Create Flat ➢ General ◇ ⑥ GNU Arm Cross Print Size 	sh Image						
相映	i General							胡映秋 1422
	胡晓秋 1422							
< >>	× 1422	胡映秋 1422		胡映秋 1422		胡映秋 1422	Rest	ore <u>D</u> efaults <u>A</u> pply

相映秋¹⁴²² 胡映秋¹⁴²² 胡映秋¹⁴²² 胡映秋¹⁴²² 胡映秋¹⁴²² 胡映秋¹⁴²²

相映秋^{1,422} 胡映秋^{1,422} 胡映秋^{1,422} 胡映秋^{1,422}

Properties for test_1	胡映秋 1422						$ \Box$ \times	
pe filter text	Settings						← → ⇒ ▼	
Resource	×1422							
C/C++ Build	Configuration: Debug [Active]					~ N	lanage Configurations	
Build Variables								
Environment Logging	🛞 Tool Settings 🛞 Toolchains 🔳 D	vevices 🔋 Container Settings 🎤	Build Steps 🚇 Build	Artifact 🗟 Binary P	arsers 😣 Error Parse	rs Highk 1422		
Settings	🖄 Target Processor	Script files (-T)					🗐 🗐 🗑 🖗 🖞	
Tool Chain Edito	Optimization	<pre>%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%</pre>	.ld"		1047 av.		$E\Omega_{F,dec.}$	
Linux Tools Path	Bebugging							
MCU	✓ Scougging ✓ Socuration of the second s							
Project Natures	Preprocessor	胡映秋 1422						
Refactoring History	Includes							
Run/Debug Setting	🖉 Miscellaneous							
Task Tags	🗸 📎 GNU Arm Cross C Compiler	天秋 1422						
Validation WikiText	Preprocessor							
w 1422	Optimization	1422						
	🖉 Warnings	thuce						
	🖉 Miscellaneous							
	GINU Arm Cross C Linker	nth 1422						
	Libraries							
	Miscellaneous							
	GNU Arm Cross Create Flash Im @ General	tage						
	🗸 🛞 GNU Arm Cross Print Size							
	🖉 General		art filos (nostartfilos)		. 1022			
	秋142 胡明	Do not use default libr	aries (-nodefaultlibs)					
		No startup or default l	ibs (-nostdlib)					
	+880 秋 1422	Remove unused section	Remove unused sections (-Xlinkergc-sections)					
	012 100	Print removed section	removed sections (-Xlinkerprint-gc-sections)					
		Omit all symbol inform	ation (-s)					
>						Restore	<u>D</u> efaults <u>A</u> pply	
	(D)**		PD-22		pp · · ·	L		

出映秋 1421

8. 右击工程名,在下拉列表中选择Build Project,进行工程编译。 如果配置OK,则编译会PASS.